

Message

From: Torres, Tomas [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8B2F42BB7A684E199190092E3A2E7520-TTORRES]
Sent: 7/20/2018 12:09:20 AM
To: Robertson, John@Waterboards [John.Robertson@waterboards.ca.gov]
Subject: RE: Call

Thanks John. Yes, tomorrow at 3:30 works great. Talk with you then.

Tomás Torres

-----Original Message-----

From: Robertson, John@Waterboards [mailto:John.Robertson@waterboards.ca.gov]
Sent: Thursday, July 19, 2018 4:50 PM
To: Torres, Tomas <Torres.Tomas@epa.gov>
Subject: RE: Call

Tomas

No problem, my appointment for a phone call was for tomorrow (Friday) afternoon at 3:30 pm. If that still works?

John
John M. Robertson, PG
Executive Officer
Central Coast Regional Water Quality Control Board
895 Aerovista Place, Suite 101
San Luis Obispo, CA 93401
805.549.3140
John.Robertson@waterboards.ca.gov
Check out GAP

-----Original Message-----

From: Torres, Tomas [mailto:Torres.Tomas@epa.gov]
Sent: Thursday, July 19, 2018 3:04 PM
To: Robertson, John@Waterboards <John.Robertson@waterboards.ca.gov>
Subject: Re: Call

John I am so sorry but I had to head offsite this afternoon can we talk tomorrow sometime.?

Thanks
Tomás Torres

Sent from my iPhone

> On Jul 19, 2018, at 2:29 PM, Robertson, John@Waterboards <John.Robertson@waterboards.ca.gov> wrote:
>
> Tomas
>
> From your email, this time fit - does it still work? I will call you (at cell or land number?).
>
> John
> John M. Robertson, PG
> Executive Officer
> Central Coast Regional Water Quality Control Board
> 895 Aerovista Place, Suite 101
> San Luis Obispo, CA 93401
> 805.549.3140
> John.Robertson@waterboards.ca.gov<mailto:John.Robertson@waterboards.ca.gov>
> .gov> Check out
> GAP<http://www.waterboards.ca.gov/centralcoast/water_issues/programs/gap/index.shtml>
>
>
> <meeting.ics>